



Cut & Loop



Broadloom



LONDON



VIEW ON WEBSITE



SCAN HERE

1097 GOLDEN LINK
Pattern Repeat: 61cm(W)x60cm(L)



1041 COASTAL BROWN
Pattern Repeat: 61 cm (W) x 60 cm (L)



1073 BLACK APPEAL
Pattern Repeat: 61 cm (W) x 60 cm (L)



1041 COASTAL BROWN



1041 COASTAL BROWN



1073 BLACK APPEAL



1097 GOLDEN LINK

LONDON Specifications

Construction	1/10" Tufted Cut & Loop Pattern
Yarn Composition	100% Solution Dyed Heatset Polypropylene
Tufted Pile Weight	Ca. 1150 g/m ² (34 oz/yd ²) (+/- 10%)
Total Weight	Ca. 2150 g/m ² (63 oz/yd ²) (+/- 10%)
Pile Height	Ca. 7.5 mm (+/-5%)
Total Height	Ca. 9.5 mm (+/-5%)
Density	169,850 tufts/m ²
Secondary Backing	ActionBac®
Standard Roll Size	3.66m (+/-2%) x 30m (+/-2%)
Pattern Repeat	61 cm (W) x 60 cm (L)

Performance

(as tested by ITTS Inc. USA)

Stain Resistance	9 (AATCC-175-2003)
Static Control	Pass - Max. 4 kV (AATCC 134-1996)
Tuft Bind	Pass - 4.9 lbs (ASTM-D-1335)
Dimensional Stability	Pass - Max. 0.2% change (AACHEN)
Flammability	
- Pill Test	Pass - 8 (ASTM-D-2859-96)
- Smoke Density	Pass - Max. 450 (ASTM-E-662-06)
Colourfastness	
- to light	Excellent - 5 (AATCC-16E)
- to wet & dry crocking	Excellent - 5 (AATCC-165)
- to ozone	Excellent - 5 (AATCC-129)

Warranties

5 Year Limited Carpet Wear Warranty
Lifetime Antishock Carpet Warranty
Ideal for Residential and Hospitality Use.

The subfloor should be dry, smooth, flat, dust-free and resistant to compression and load-bearing. Where seaming is necessary, a seam sealant must be used for all such installations. Due to dye lot variations, actual color may vary slightly from the samples. Chair pads are recommended to prevent premature wear of carpet.



Level Cut
& Loop



Broadloom



MANUFACTURED IN U.A.E