



Cut & Loop



Broadloom

VIEW ON WEBSITE



SCAN HERE ↑

# ROYAL BLISS™

## BROADLOOM

IMPACT 100% RECYCLED POLYESTER



STELLA  
GLOBAL




32 MELLOW CREAM

▶ 34 WHEAT BEIGE



# ROYAL BLISS SWATCHES

Standard Roll Size 4m (+/-2%) x 20m (+/-2%)




26 OLIVE GREEN



32 MELLOW CREAM



34 WHEAT BEIGE



43 STUDIO TAUPE



56 COOKIE BEIGE



66 ORCHID PINK



68 RUSSET BROWN



79 AEGEAN BLUE



91 SHEER GREY



94 DOLPHIN GREY



96 PEPPERCORN GREY



98 KENDALL BLACK



68 RUSSET BROWN



## ROYAL BLISS Specifications

Construction	1/8" Tufted Cut Pile Saxony
Yarn Composition	YMPACT 100% Recycled Polyester
Tufted Pile Weight	Ca. 1850 g/m <sup>2</sup> (55 oz/lyd <sup>2</sup> ) (+/- 10%)
Total Weight	Ca. 2850 g/m <sup>2</sup> (84 oz/lyd <sup>2</sup> ) (+/- 10%)
Pile Height	Ca. 13 mm (+/- 0.5 mm)
Total Height	Ca. 15.5 mm (+/- 0.5 mm)
Backing	Twin Back
Tuft Density	± 189,000/m <sup>2</sup>
Standard Roll Size	4m (+/- 2%) x 20m (+/- 2%)

## Performance

Fire Classification	EFL-s1 (EN13501-1)
Classification	22-LC5 (EN1307)
Fastness to Light	≥ 5 - 6 (EN ISO 105-B02)
Fastness to Water	≥ 4 - 5 (EN ISO 105-E01)
DOP	1011#IN00EL
GUT	88D79ECA

## Warranties

10 Year Residential Carpet Wear Warranty  
Lifetime Antishock Carpet Warranty

The subfloor should be dry, smooth, flat, dust-free and resistant to compression and load-bearing. Where seaming is necessary, a seam sealant must be used for all such installations. Due to dye lot variations, actual material may vary slightly from the samples. Chair pads are recommended to prevent premature wear of carpet.

Ideal for Bedroom, Living Room, Dining Room, Entrance, Hallway, Study Room, and for Moderate Commercial Use.

