



Frieze



Broadloom

VISIT WEBSITE



Touching Interiors *with Regal Grace*

Made In Belgium




ROYAL TOUCH™


BROADLOOM

100% SUPER SOFT ISENSE NYLON





303
ERMINE



333
NOUGAT






336

CAMEL



SUPER SOFT ISENSE® POLYAMIDE SURFACE

iSense® is an exceptionally soft, high-filament yarn that delivers unmatched comfort, refined elegance, and lasting performance. Its unique structure combines soothing softness with remarkable resilience, making it the perfect choice for luxurious, durable, and easy-care carpets in any home.



318

SAKURA


SCRATCH-FREE FUSIONBAC® BACKING

FusionBac® combines superior adhesive strength, reduced seam visibility, and enhanced flexibility for effortless installation, delivering durable performance and a seamless finish that keeps carpets looking flawless for years.





343
BISTRO




392
GRANITE






395
SMOKE



399
RAVEN



ALL-ROUND PROTECTION & COMFORT


Superior sound and heat insulation, fire-retardant safety, and lasting resistance to moisture, mold, and mildew.



372
ALPINE



328
AMBLESIDE








ROYAL TOUCH

SWATCHES




303 ERMINE



333 NOUGAT



336 CAMEL




318 SAKURA



343 BISTRO



392 GRANITE



395 SMOKE



399 RAVEN



372 ALPINE



328 AMBLESIDE

The delightful sheen on the pile surface of Royal Touch results in beautiful shading effects as shown in the accompanying pictures, which enhances the natural look and beauty of the carpet. This is not a defect but an inherent characteristic of this lovely carpet collection.



ROYAL TOUCH Specifications

Construction	1/10" Gauge Cut Pile
Yarn Composition	100% Super Soft iSENSE® Nylon
Tufted Pile Weight	ca. 2000 g/m ² (58.97 oz/yd ²) (+/- 10%)
Total Weight	ca. 2760 g/m ² (81.39 oz/yd ²) (+/- 10%)
Pile Height	ca. 13 mm (+/- 0.5 mm)
Total Thickness	ca. 15.5 mm (+/- 0.5 mm)
Backing	FusionBac®
Tuft Density	286,375/m ²
Standard Roll Size	4 m (+/-2%) x 22 m (+/-2%)

Performance

Fire Classification	Cfl-s1
Thermal Resistance In m ² C°/W	0.21 m ² C°/W
Sound Absorption	DLw - 34 dB
Declaration of Performance	1008#BL0001
GUT	7080F57C

Warranties

20 Year Residential Carpet Wear Warranty Including Hotel Guest Rooms
Lifetime Antishock Carpet Warranty

Product Advisory Note:

Ensure the subfloor is clean, dry, smooth, level, dust-free, and capable of supporting loads without compression. Apply seam sealant where required during installation. Due to dye lot variations, actual colours may differ slightly from samples. Chair pads are recommended to reduce carpet wear.

Ideal for Residential & Medium Commercial Use in Bedrooms, Guest Rooms, Living Rooms, Dining Rooms, Hobby Rooms, Offices, Study Rooms, Entrances, Hallways, Hotel Rooms, Hotel Suites, Etc.

🇧🇪 Made In Belgium



EN 14041 NB 0493 DOP: 1008#BL0001



SENSUALITÉ®



Sensualité® is the embodiment of tenderness and strength, so cuddly yet so resilient, in a wonderfully subtle range of colours. The ideal carpet for a bedroom, full of softness, comfort and luxury.

iSense® is a unique, extremely soft polyamide yarn that outperforms any other carpet yarn when it comes to soothing comfort. With its high number of fine filaments, iSense® simply adds another dimension to broadloom carpet.

FusionBac allows for scratch-free installation, adapts to all techniques, and offers lasting stability. It minimizes visible seams, improves insulation, and resists moisture and mould.